
NEW PRODUCTS



FESTOOL

January 2023



CSC SYS 50 cordless table saw

The CSC SYS 50 cordless table saw is so compact that it fits into a Systainer. It also proves just as surprisingly versatile in use as tremendously convenient in its outer dimensions, with parallel cuts up to 280 mm, a cross cut width of up to 450 mm and angled cuts of -2° to 47°. Together with the UG-CSC-SYS underframe, you have the perfect worktable immediately on hand, and transport from the vehicle to the point of use thus succeeds effortlessly. In short: Precise sawing to go!



Uniquely compact. Extremely versatile.

So compact that it fits into a Systainer – you always have the CSC SYS 50 cordless table saw on hand, and will always achieve the quality you're used to from the workshop even when on the construction site. At the same time, it is impressively versatile, with parallel cuts up to 280 mm, a cross cut width of up to 450 mm and angled cuts of -2° to 47° .

For more accessories and further information: **festool.com**/@577374



Precise cuts at the press of a button.

You can set the height and angle accurately to a tenth of a millimetre with unique digital operation – more exact than with any yardstick, with 100% repeat accuracy. Even the most demanding cuts will succeed with unprecedented precision with the robust stop system made up of a parallel side fence, angle stop and sliding table.



As powerful as if connected to the mains.

Even for rip cuts in solid wood, you won't notice any difference compared with mains-powered machines. The 2 x18 V dual battery system in combination with the brushless EC-TEC motor will impress you with maximum power and torque.

Transport easily. Work conveniently. UG-CSC-SYS underframe

The UG-CSC-SYS underframe is ideally tailored to use with the CSC SYS 50 cordless table saw. You position the CSC SYS 50 securely on the worktop via suitable holes – and raise it to an ergonomic working height of 90 cm. Especially for long workpieces, the "shovel" of the underframe offers a secure contact surface for rip and cross cuts.



More information: festool.com/@577001





Compact suction power without a cable. Perfected for your cordless tools.

CTC MINI/MIDI cordless compact dust extractors



No worries about tripping.

It doesn't get any more mobile than this: Compact design, low weight, cordless rather than mains-powered machine. Your partner for the day, no need for a socket.

Powerful dust extraction with battery.

Impressive suction power: Comparable power to your corded extractor thanks to the 36 V turbine with 2 x 18 V battery packs.

Dust-free cordless systems.

Our compact onsite extractors fit perfectly into the Festool 18 V system. This ensures dust-free work for your cordless application. Additional benefit: More convenient and faster Bluetooth® autostart via a battery pack or remote control.*





For carrying: The cordless extractor in the Systainer format.

CTC SYS cordless Systainer extractor





Mobile and independent.

The extractor that is easy to carry: Compact Systainer format, low weight and frees you from the constraints of electrical sockets. This makes it your perfect companion for service work and small tasks, as well as occasional spontaneous use.

Fits perfectly in the Systainer system.

Can be connected and combined. Also coordinated to your Festool cordless tools. The fast Bluetooth® autostart via a battery pack or remote control ensures extra convenience.*



Perfect energy suppliers:

The Festool energy sets are the ideal addition to your cordless extractor. The charger and battery packs are conveniently stored in a Systainer³ at all times.



More information about all energy sets can be found here.



High-precision cross cuts. With battery power for the entire day.

Cordless KAPEX KSC 60

The new KAPEX KSC 60 cordless sliding compound mitre saws produce unbeatable precise cross cuts in an enormous range of applications with mitre angles of up to 60° on each side and bevel angles of up to 46° or 47° on each side. The twin-column guide with two bearings ensures that the saw blade is guided smoothly and with precision whichever setting is chosen: This makes every cut perfect, without wobbles or juddering. In conjunction with the dual battery system, the brushless EC-TEC motor provides virtually unlimited endurance and is enough for all typical applications for an entire day's work.



Unbeatably precise cross cuts.

With mitre angles of up to 60° on each side and bevel angles of up to 46° or 47° on each side, the cordless KAPEX produces high-precision results and offers an enormous range of applications. Moreover, the twin-column guide with two bearings ensures that the saw blade is guided precisely, smoothly and safely, without wobbles or juddering.

For more information and available accessories visit: festool.com/@577174

Power: Uncompromising. Endurance: Unlimited.

In conjunction with the dual battery system, the latest generation brushless EC-TEC motor provides full power and maximum endurance.



Typically Festool: Clever as a system.

A perfectly coordinated system allows you to produce excellent results more reliably and in a healthier working environment. With saw blades for every application – thanks to the speed preselection with speed 100% adapted to the material – as well as a bevel for directly producing interior and exterior angles.



Charges two at the same time:

The TCL 6 DUO rapid charger. Now included in the scope of supply of the TSC 55 K cordless plunge-cut saw.



Ideal for the TSC 55 K's 18 V dual battery system. On its two spaces, the DUO rapid charger always charges two battery packs at the same time.




18 volt cordless power.

Ready. With a portfolio like never before: comprehensive, customised, powerful.


Whether personal preferences or application-specific requirements, you will no doubt have certain standards for your tool. What if, instead of trying to find endless compromises, a solution existed that combined everything into one and made everyday work noticeably easier? Our cordless portfolio takes account of precisely these preferences:







*This may differ per country. Please contact your local dealer for further information.



Festool plunge-cut saws have been setting the standard for saws for decades. The TS 60 K is redefining this yet again. In the blink of an eye, the unique KickbackStop protects your workpiece and minimises the risk of injury. Perfectly coordinated with the entire Festool saw system and with a cutting depth of 60 mm, the most versatile saw of its kind guarantees you premium work results. Of course, this is also the case for mitre cuts and solid worktops.





One saw for every task.

The TS 60 K is our most versatile plunge-cut saw. With its 60 mm cutting depth and compact design, it offers premium results even when working with mitre cuts and solid worktops. A further benefit: The entire accessory system can be used, and the TS 60 K can even be combined with the cross cutting guide rail – a ground-breaking improvement to your daily work.



Protects against dangerous kickbacks.


Our best plunge-cut saw is now even safer: The unique KickbackStop protects your workpiece and also minimises the risk of injury. The TS 60 K is a high-precision, safe plunge-cut saw designed for you and your team – and for excellent results.



Saws like a hot knife through butter.

Robust and sophisticated down to the very last detail, the TS 60 K is sure to impress across the board. The latest-generation brushless EC-TEC motor is virtually maintenance-free and extremely powerful. The high speed ensures ideal machining, an effortless feed rate and, as a result, the best cutting quality.

More information: **festool.com**/@576721



Unlimited power. On all substrates.RG 130 ECI surface-restoration grinder

Perfect substrate preparation is the prerequisite for a perfect result. With the RENOFIX RG 130 ECI surface-restoration grinder, you have a powerful and absolutely reliable helper for removing old coatings and adhesive residue on your side. The brushless EC-TEC motor thus finally allows you to work without interruptions with the maximum service life. In combination with the CTM 36 AC RENOFIX mobile dust extractor, you ensure healthy working – good for you and your customers.



Excellent service life.

Its extremely robust, resilient gear box and the highly efficient, brushless EC-TEC motor make the RG 130 ECI surface-restoration grinder extremely durable – with minimal downtime.

Healthy working with a system.

In combination with the CTM 36 AC RENOFIX mobile dust extractor and the CT-VA pre-separator, the surface-restoration grinder guarantees low dust levels while working.


➤ More information: **festool.com**/@577045



Tool underneath and accessories on top.

Cordless drill in the Systainer³ with lid compartment and bit/drill bit case







From January 2023 the following cordless products come in the Systainer³ with lid compartment including a high-quality bit/drill bit case:

- Set variants of the C 18, T 18 and TDC 18/4 cordless drills, and the TPC 18/4 cordless percussion drill
- > T 18/PSC 420 site set
- > Plus version of the BHC 18 cordless hammer drill

An overview of new products

In this table, you can find all current new products from this brochure with the precise product designation, the currently applicable non-binding price recommendation (RRP) and the order number.

Items included		Order no.				
CSC SYS 50	All variants: WOOD FINE CUT HW 168 x 1.8 x 20 WD42 circular saw blade, parallel side fence, workpiece holder, preset profile setting rail, chip collection sack, splitting wedge for concealed cuts, splitting wedge with protective hood, operation tool					
	CSC SYS 50 EBI-Basic	576820				
	CSC SYS 50 EBI-Basic-Set UG-CSC-SYS underframe	577371				
	CSC SYS 50 EBI-Plus SYS 18 V 2 x 5.0/TCL 6 DUO energy set	577374				
	CSC SYS 50 EBI-Set SYS 18 V 2 x 5.0/TCL 6 DUO energy set, UG-CSC-SYS underframe	577379				
UG-CSC-SYS						
	UG-CSC-SYS	577001				
CTC MINI I	All variants: High-performance main filter, SC FIS-CT SELFCLEAN filter bag, smooth suction hose diameter 27/32 x 3.5 m AS/CTR, CT-F I extractor remote control					
	CTLC MINI I-Basic	577065				
	CTLC MINI I-Plus SYS 18 V 4 x 5.0/TCL 6 DUO energy set	577670				
CTC MIDI I	All variants: High-performance main filter, SC FIS-CT SELFCLEAN filter bag, smooth suction hose diameter 27/32 x 3.5 m AS/CTR, CT-F I extractor remote control					
2007	CTLC MIDI I-Basic	577066				
	CTLC MIDI I-Plus SYS 18 V 4 x 5.0/TCL 6 DUO energy set	577671				
	CTMC MIDI I-Basic	577067				
	CTMC MIDI I-Plus SYS 18 V 4 x 5.0/TCL 6 DUO energy set	577672				
CTC SYS	All variants: main filter, fitted filter bag, smooth suction hose dia. 27 x 3 m AS/CT with rotating angle adapter on the extractor side, upholstery nozzle D 36 PD, crevice nozzle D 36 FD-150, SYS-CT carrying belt, CT-F I extractor remote control					
	CTLC SYS I-Basic	576936				
1.50	CTLC SYS HPC 4,0 I-Plus energy set, SYS 18 V 4 x 4.0/TCL 6 DUO	576944				
	CTMC SYS I-Basic	576933				
	CTMC SYS HPC 4,0 I-Plus energy set, SYS 18 V 4 x 4.0/TCL 6 DUO	576942				
KSC 60						
11112	KSC 60 EB-Basic	576847				
	KSC 60 EB 5,0 I-Plus SYS 18 V 2 x 5.0/TCL 6 DUO energy set	577665				
	KSC 60 EB 5,0 I-UG-Set SYS 18 V 2 x 5.0/TCL 6 DUO energy set, underframe, KA-UG-KS 60 R/L trimming stop	577666				

Items included		Order no.				
TCL 6 DUO						
W.	TCL 6 DUO	577017				
TSC 55 K	All variants: 2 x BP 18 Li 5.0 ASI battery pack, TCL 6 DUO rapid charger, circular saw blade WOOD FINE CUT HW 160 x 1, 8 x 20 WD42, splinterguard, Flag window; vision panel, chip collection bag, hex key, WAF 5, Systainer SYS3 M 437					
	TSC 55 5,0 KEBI-Plus/XL	577342				
	TSC 55 5,0 KEBI-Plus/XL-FS guide rail FS 1400/2	577391				
TS 60 K	All variants: WOOD FINE CUT HW 168 x 1.8 x 20 WD42 circular saw blade, Flag window; vision panel, splinterguard, hex key, WAF 5, Systainer SYS3 M 337					
500	TS 60 KEBQ-Plus	576721				
	TS 60 KEBQ-Plus-FS guide rail FS 1400/2	577417				
RG 130 ECI	All variants: front handle, flange set, KF-AG face wrench, hook-and-loop fastener KV-215 (pack of 5), Systainer SYS3 L 237					
	RG 130 ECI-Plus	577045				
	RG 130 ECI-Set DIA HD Diamond disc DIA HARD-D130	577059				
	RG 130 ECI-Set DIA AB Diamond disc DIA ABRASIVE-D130	577060				
	RG 130 ECI-Set DIA TH Diamond disc DIA THERMO-D130	577061				
	RG 130 ECI-Set DIA PA DIA PAINT-D130 Premium diamond disc	577062				
SYS-DF	All variants: incl. cover for label field					
[SYS3 DF M 137	577346				
7.0	SYS3 DF M 187	577347				
Name of the last	SYS3 DF M 237	577348				



New products January 2023

Valid from 01.01.2023

Festool GmbH Import Partner Customer Service

Wertstrasse 20 D-73240 Wendlingen Phone +49 (0)70 24/804-25400 E-mail Sales.IP@festool.com

festool.com

Subject to changes and errors. All images are non-binding. Recommended retail price of manufacturer. Prices valid from 01.04.2022. Prices of retailers may vary.

The relevant valid statutory value added tax applies. Festool's General Terms and Conditions apply. Vibration levels and emission values can be found in the operating instructions at festool.com/vibration

The Bluetooth® word mark and the logos are registered trademarks of Bluetooth SIG, Inc.; they are used by TTS Tooltechnic Systems AG & Co. KG, and therefore by Festool, under licence.

Retailer		 	